

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Urb: D8/D9 + Live Resin Gummies

ample ID: SA-230504-212 Batch: 031025AB // 031025 ype: Finished Product - Ir Aatrix: Edible - Gummy Jnit Mass (g): 5.04037	F Received: 05/08/2023			Client Lifted Made 5511 95th Ave Kenosha, WI 53144 USA		
			Summary Test Cannabinoids	Date Tested 05/18/2023	Status Tested	
0.262 %	031025AB 031025LF	1.93 %	Not Tested	Not Tested	Yes	
Total ∆9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization	
	y HPLC-PDA, LC LOD (%)	L	or GC-MS/M	S Result (%)	Result (mg/unit)	
analyte	LOD	L		Result		
nalyte BC	LOD (%)	L((' 0.0	x)	Result (%)	(mg/unit)	
nalyte BC BCA	LOD (%) 0.00095	L((' 0.0 0.0	DQ %) D284	Result (%) ND	(mg/unit) ND	
nalyte BC BCA BCV	LOD (%) 0.00095 0.00181	L(() 0.0 0.0 0.0	DQ (%) D284 0543	Result (%) ND ND	(mg/unit) ND ND	
nalyte BC BCA BCV BD	LOD (%) 0.00095 0.00181 0.0006	L (() 0.0 0.0 0.0 0.0 0.0	DQ (%) D284 0543 0018	Result (%) ND ND ND ND	(mg/unit) ND ND ND	
nalyte BC BCA BCV BD BDA	LOD (%) 0.00095 0.00181 0.0006 0.00081	L(() 0.0 0.0 0.0 0.0 0.0 0.0	DQ X) D284 D543 D018 D242	Result (%) ND ND ND 0.0290	(mg/unit) ND ND ND 1.46	
BC BCA BCV BD BDA BDV	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043	L (() 0.0 0.0 0.0 0.0 0.0 0.0 0.0	DQ Image: Constraint of the second seco	Result (%) ND ND ND 0.0290 ND	(mg/unit) ND ND ND 1.46 ND	
BC BCA BCV BD BDA BDV BDVA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0	DQ %) D284 D543 D018 D242 D013 0182	Result (%) ND ND ND 0.0290 ND ND	(mg/unit) ND ND ND 1.46 ND ND ND	
Analyte BC BCA BCV BD BDA BDV BDVA BDVA BG	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	DQ %) D284 D543 D018 D242 D013 0182 D063	Result (%) ND ND ND 0.0290 ND ND ND ND	(mg/unit) ND ND ND 1.46 ND ND ND ND	
BC BCA BCV BD BDA BDA BDV BDVA BC BCA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00043 0.00061 0.00021 0.00057	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	DQ %) D284 D543 D018 D242 D013 0182 D063 0172	Result (%) ND ND ND 0.0290 ND ND ND ND ND ND	(mg/unit) ND ND 1.46 ND ND ND ND ND ND	
BC BCA BCA BCV BD BDA BDA BDV BDVA BC BCA BL	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00043 0.00061 0.00021 0.00057 0.00049	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	DQ %) D284 D543 D018 D242 D013 0182 D063 0172 0147	Result (%) ND ND ND 0.0290 ND ND ND ND ND ND ND	(mg/unit) ND ND 1.46 ND ND ND ND ND ND ND ND	
analyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00021 0.00057 0.00049 0.00112	L(() 0,0) 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0	DQ %) D284 D543 D018 D242 D013 0182 D063 0172 0147 0335	Result (%) ND ND ND 0.0290 ND ND ND ND ND ND ND ND CLOQ	(mg/unit) ND ND 1.46 ND ND ND ND ND ND ND SLOQ	
Analyte BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BN	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00021 0.00057 0.00049 0.00124		DQ 3000 0284 0543 0018 00242 0013 0182 0063 0172 0147 0335 0371	Result (%) ND ND ND 0.0290 ND ND	(mg/unit) ND ND 1.46 ND ND ND ND ND CLOQ ND	
IBC BCBCA BCA BCV BD BDA BDA BDV BDVA BCA BCA BCA BLA BLA BN BNA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00043 0.00057 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056		DQ 2284 D543 2284 D543 2242 2013 2242 2013 2142 2063 0172 0147 0335 0371 0169	Result (%) ND ND ND 0.0290 ND 0.00992 ND	(mg/unit) ND ND 1.46 ND ND ND ND ND <loq ND 0.500</loq 	
Analyte BC BCA BCV BD BDA BDA BDV BDVA BC BDVA BC BCA BL BLA BN BNA BT	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006		DQ X0 D284 D543 D018 D242 D013 0182 D063 0172 0147 0335 0371 0169 00181	Result (%) ND ND ND 0.0290 ND O.00992	(mg/unit) ND ND ND 1.46 ND ND ND ND <loq ND 0.500 ND <loq< td=""></loq<></loq 	
Analyte BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BN BNA BNA BNA BT BNA BT BATHC	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0006 0.0008 0.00104		DQ %) D284 D543 D018 D242 D013 0182 D063 0172 0147 0335 0371 0169 00181 0054 0312	Result (%) ND ND <loq< td=""> ND <loq< td=""> 1.41</loq<></loq<>	(mg/unit) ND ND ND 1.46 ND ND ND ND <loq ND 0.500 ND <loq 70.9</loq </loq 	
Analyte BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BLA BN BNA BNA BT 88-THC 88-THCV	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00104		DQ %) D284 D543 D018 D242 D013 0182 D063 0172 0147 0335 0371 0169 00181 0054 0312 D02	Result (%) ND Scoops1	(mg/unit) ND ND ND 1.46 ND ND ND CLOQ ND CLOQ ND C.500 ND CLOQ 70.9 0.348	
Cannabinoids by Analyte BC BCA BCA BCA BDA BDA BDA BDA BDA BDA BDA BDA BDA BD	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00104 0.0016		DQ %) D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 0312 D02 D0227	Result (%) ND ND ND 0.0290 ND ND ND ND ND ND ND ND ND ND ND ND ND ND <loq< td=""> ND <loq< td=""> 1.41 0.00691 0.262</loq<></loq<>	(mg/unit) ND ND ND 1.46 ND ND ND CLOQ ND CLOQ ND C.500 ND CLOQ 70.9 0.348 13.2	
Analyte BC BCA BCA BCV BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BLA BN BNA BNA BNA BT A8-THC A8-THCV 99-THC 99-THCA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00164 0.00076 0.00076 0.00084		DQ %) D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 0312 D022 00227 0251	Result (%) ND SLOQ ND <loq< td=""> 1.41 0.00691 0.262 ND</loq<>	(mg/unit) ND ND ND 1.46 ND ND ND CLOQ ND CLOQ ND CLOQ ND CLOQ 70.9 0.348 13.2 ND	
Analyte BC BCA BCA BDA BDA BDA BDV BDVA BDVA BC BCA BL BLA BLA BN BNA BNA BNA BT A8-THC A8-THCV 9-THCA 9-THCA 9-THCV	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00164 0.00067 0.00076 0.00076 0.00084 0.00069		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 0021 D0227 0227 02251 D226	Result (%) ND ND ND ND <loq< td=""> ND <loq< td=""> 1.41 0.00691 0.262 ND ND ND ND</loq<></loq<>	(mg/unit) ND ND ND 1.46 ND ND ND <loq ND <loq ND <loq 70.9 0.348 13.2 ND ND</loq </loq </loq 	
Analyte BC BCA BCA BCV BDA BDA BDV BDVA BDVA BC BCA BCA BL BLA BLA BNA BNA BT A8-THC A8-THCV A9-THCA A9-THCV A9-THCVA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00164 0.00067 0.00076 0.00076 0.00076 0.00084 0.00069 0.00062		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 00312 D0227 0251 D2066 0186	Result (%) ND ND ND ND <loq< td=""> ND 1.41 0.00691 0.262 ND ND ND ND ND ND ND</loq<>	(mg/unit) ND ND ND 1.46 ND ND ND <loq ND <loq ND <loq 70.9 0.348 13.2 ND ND ND ND ND</loq </loq </loq 	
Analyte EBC EBCA EBCV EBD EBDA EBDA EBDV EBDVA EBC EBCA EBLA EBLA EBLA EBNA EBNA EBNA EBT A8-THC A9-THCV A9-THCVA A8-iso-THC	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00124 0.00056 0.0006 0.0006 0.00067 0.00076 0.00062 0.00062 0.00062 0.00062		DQ %) D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 0027 0021 D2277 0251 D206 0186 002	Result (%) ND Score ND ND ND ND 0.00992 ND <loq< td=""> 1.41 0.00691 0.262 ND ND ND ND ND ND 0.0122</loq<>	(mg/unit) ND ND ND 1.46 ND ND ND CLOQ ND CLOQ ND CLOQ ND CLOQ 70.9 0.348 13.2 ND ND ND ND ND ND ND ND ND	
Analyte BC BCA BCA BCV BDA BDA BDV BDVA BDVA BC BCA BCA BL BLA BLA BNA BNA BT A8-THC A8-THCV A9-THCA A9-THCV A9-THCVA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00164 0.00067 0.00076 0.00076 0.00076 0.00084 0.00069 0.00062		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 00312 D0227 0251 D2066 0186	Result (%) ND ND ND ND <loq< td=""> ND 1.41 0.00691 0.262 ND ND ND ND ND ND ND</loq<>	(mg/unit) ND ND ND 1.46 ND ND ND <loq ND <loq ND <loq 70.9 0.348 13.2 ND ND ND ND ND</loq </loq </loq 	

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 05/18/2023

Tested By: Scott Caudill Senior Scientist Date: 05/18/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Urb: D8/D9 + Live Resin Gummies

ample ID: SA-230504-21292 batch: 051523SK // 051523TB ype: Finished Product - Inge 1atrix: Edible - Gummy Init Mass (g): 5.24571	Received: 05/08/2023 Completed: 05/18/2023		Client Lifted Made 5511 95th Ave Kenosha, WI 53144 USA		
			Summary Test Cannabinoids	Date Tested 05/18/2023	Status Tested
0.227 % Total Δ9-ТНС	⁰⁵¹⁵²³⁷⁸ 1.39 % Д8-ТНС	1.85 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard
					Normalization
annahinoids hy		-MS/MS and	or GC-MS/M	<	
Cannabinoids by	HPLC-PDA, LC	L	or GC-MS/M	S Result (%)	Result (mg/unit)
	LOD	L		Result	Result
nalyte BC	LOD (%)	L((' 0.0	x)	Result (%) ND ND	Result (mg/unit)
nalyte BC BCA	LOD (%) 0.00095	L((' 0.0 0.0	DQ %) D284	Result (%) ND	Result (mg/unit) ND
nalyte BC BCA BCV	LOD (%) 0.00095 0.00181	L((' 0.0 0.0 0.0	DQ (%) D284 0543	Result (%) ND ND	Result (mg/unit) ND ND
nalyte BC BCA BCV BD	LOD (%) 0.00095 0.00181 0.0006	L(() 0.0 0.0 0.0 0.0 0.0	DQ (%) D284 0543 0018	Result (%) ND ND ND ND	Result (mg/unit) ND ND ND ND
BC BCA BCV BD BDA	LOD (%) 0.00095 0.00181 0.0006 0.00081	L(() 0.0 0.0 0.0 0.0 0.0 0.0	DQ (%) D284 0543 0018 00242	Result (%) ND ND ND 0.0139	Result (mg/unit) ND ND ND 0.728
BC BCA BCV BD BDA BDV	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0	DQ D284 0543 0018 0242 0013	Result (%) ND ND ND 0.0139 ND	Result (mg/unit) ND ND ND 0.728 ND
nalyte	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0	DQ %) D284 0543 0018 0242 0013 0182	Result (%) ND ND ND 0.0139 ND ND ND	Result (mg/unit) ND ND ND 0.728 ND ND ND
BC BCA BCV BD BDA BDV BDVA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	DQ %) D284 D543 0018 D242 D013 0182 D063	Result (%) ND	Result (mg/unit) ND ND ND 0.728 ND ND ND ND
BC BCA BCA BCV BD BDA BDV BDVA BC BCA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	DQ %) D284 D543 0018 0242 0013 0182 0063 0172	Result (%) ND ND <loq< td=""></loq<>	Result (mg/unit) ND ND ND 0.728 ND ND ND ND <loq< td=""></loq<>
BC BCA BCV BD BDA BDV BDVA BC	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049	L(() 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	DQ %) D284 D543 D018 D242 D013 0182 D063 0172 0147	Result (%) ND ND <loq< td=""> ND</loq<>	Result (mg/unit) ND ND ND 0.728 ND ND ND <loq ND</loq
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112	L(() 0,0) 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0	DQ %) D284 D543 D018 D242 D013 0182 D063 0172 0147 0335	Result (%) ND ND ND 0.0139 ND ND ND ND <loq ND ND ND</loq 	Result (mg/unit) ND ND ND 0.728 ND ND ND <loq ND ND ND</loq
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124		DQ 2284 D543 2018 D242 2013 0182 2063 0172 0147 0335 0371	Result (%) ND ND ND 0.0139 ND ND ND SLOQ ND ND ND ND ND ND	Result (mg/unit) ND ND ND ND 0.728 ND ND SUD ND
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BN	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056		DQ 2284 D543 2018 D242 2013 0182 2063 0172 0147 0335 0371 0169 211	Result (%) ND 0.00895	Result (mg/unit) ND ND ND 0.728 ND ND VD ND
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BN BNA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006		DQ X0 D284 D543 D018 D242 D013 0182 D063 0172 0147 0335 0371 0169 00181	Result (%) ND ND	Result (mg/unit) ND ND ND ND 0.728 ND ND State ND ND </td
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BLA BN BNA BT	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0006 0.0018		DQ X0 D284 D543 D018 D242 D013 0182 D063 0172 0147 0335 0371 0169 00181 0054	Result (%) ND ND	Result (mg/unit) ND ND ND ND 0.728 ND ND SUD ND ND ND ND ND ND SUD ND
BC BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BG BGA BL BLA BLA BN BNA BT 8-THC	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00067		DQ X0 D284 D543 D018 D242 D013 0182 D063 0172 0147 0335 0371 0169 0181 0054 0312	Result (%) ND ND	Result (mg/unit) ND ND ND ND 0.728 ND ND SUD ND ND ND ND ND ND SLOQ ND 73.1
BC BC BCA BCV BD BDA BDA BDV BDVA BC BCA BCA BL BLA BLA BN BNA BT 8-THC 8-THCV 9-THC	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00076		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 00181 10054 00312 D0227	Result (%) ND ND ND 0.0139 ND ND ND <loq ND ND ND ND ND ND ND ND ND ND ND ND ND</loq 	Result (mg/unit) ND ND ND ND ND O.728 ND ND State ND ND ND ND ND SLOQ ND ND ND ND ND ND ND 0.469 ND 73.1 0.338 1.9
BC BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BCA BL BLA BLA BN BNA BT 8-THC 8-THC 9-THC 9-THCA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00057 0.00012 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00076 0.00076 0.00084		DQ %) D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 00181 10054 00312 D0227 0227 0251	Result (%) ND ND ND ND 0.0139 ND ND ND <loq ND ND ND SLOQ ND ND ND ND ND ND ND ND ND ND ND ND ND</loq 	Result (mg/unit) ND ND ND ND ND O.728 ND ND VD ND
BC BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BC BCA BCA BL BLA BLA BN BNA BT 8-THC 8-THCV 9-THCA 9-THCA 9-THCV	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076 0.00076 0.00076 0.00084 0.00069		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 00181 0054 00312 D0227 0227 0227 0251 D206	Result (%) ND ND ND ND 0.0139 ND ND ND <loq ND ND SLOQ ND ND ND ND ND ND ND ND ND ND ND ND ND</loq 	Result (mg/unit) ND ND ND ND ND O.728 ND ND VD ND ND ND ND VD ND
BC BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BG BGA BL BLA BL BLA BN BT 8-THC 8-THCV 9-THC 9-THCA 9-THCV 9-THCVA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00076 0.00076 0.00076 0.00084 0.00069 0.00062		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 00181 0054 00312 D0227 0251 D2066 0186	Result (%) ND ND	Result (mg/unit) ND ND ND ND ND O.728 ND ND VD ND ND ND ND VD ND
BC BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BG BGA BL BLA BLA BLA BN BT 8-THC 8-THC 8-THCV 9-THCA 9-THCV 9-THCVA 8-iso-THC	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00021 0.00057 0.00057 0.00057 0.00012 0.00124 0.00124 0.00124 0.00056 0.0006 0.0018 0.0018 0.0014 0.00076 0.00076 0.00084 0.00069 0.00062 0.00062 0.00067		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 0181 0054 0022 0027 00251 D2066 0186 002	Result (%) ND ND	Result (mg/unit) ND
BC BC BCA BCV BD BDA BDA BDV BDVA BDV BDVA BG BGA BL BLA BL BLA BN BT 8-THC 8-THCV 9-THC 9-THCA 9-THCV 9-THCVA	LOD (%) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00057 0.00049 0.00112 0.00124 0.00056 0.0006 0.0018 0.0018 0.00104 0.00076 0.00076 0.00076 0.00084 0.00069 0.00062		DQ X0 D284 D543 D018 D242 D013 D182 D063 0172 0147 0335 0371 0169 00181 0054 00312 D0227 0251 D2066 0186	Result (%) ND ND	Result (mg/unit) ND ND ND ND ND O.728 ND ND VD ND ND ND ND VD ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 05/18/2023

Tested By: Scott Caudill Senior Scientist Date: 05/18/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories and provide measurement uncertainty upon request.